

INFORMATION BULLETIN

DATE 10/02

Voice Activation System Accessory – 2003 MY S-TYPE/X-TYPE

All

MODEL 2003 MY-ON S-TYPE X-TYPE VIN M44998-ON C97976-ON

X-19

Issue:

Voice activation is now available as an accessory on 2003 MY X-TYPE (from VIN C97976) and 2003 MY S-TYPE vehicles. All X-TYPE vehicles from this VIN **must be equipped** with the X1 package. This package has the pre-wire necessary for installation. Vehicles built prior to C97976 **cannot** have voice activation installed at this time. All 2003 MY **S-TYPE** vehicles are pre-wired for voice activation.

This system allows the driver to operate the climate control system, the audio system, navigation system and the cellular phone by giving voice commands into the roof-mounted microphone.

The system is able to interpret most English speakers without difficulty but if some voice commands are not recognized, voice training for up to two people can be carried out to help better understand the system operator. This is described in the Voice Activation Handbook.

COMPONENTS REQUIRED TO INSTALL THE VOICE ACTIVATION SYSTEM

2003 MY X-TYPE From VIN C97976 – (must have X1 package)

•	• • •
Voice activation module	XR8 34964
Fitting kit	C2S 23668
Voice activation handbook	JJM 180924/22
Microphone (if needed)	C2S 15896
May also require D2B link lead	(see list below)
X-TYPE D2B Link Leads	
Phone only or voice only	C2S 7351
	C2S 7352
CD and phone or CD and voice	6257352
CD and phone and NAV or CD and voice and NAV	C2S 7353
CD and phone and voice and NAV	C2S 7354
Phone and NAV or voice and NAV	C2S 7355
Phone and voice and NAV	C2S 7356
Phone and voice	C2S 7357
CD and phone and voice	C2S 7358

Date of issue 10/02

2003 MY S-TYPE

Voice activation module	XR8 34964
Fitting kit	XR8 36179
Voice activation handbook	JJM 180924/22
Microphone (if needed)	C2S 15896
May also require D2B link lead	(see attached table)

USING THE ATTACHED TABLE FOR S-TYPE LINK LEAD

Determine vehicle specification prior to installation of accessory from left column. Determine vehicle specification after installation via top matrix. Choose link lead (s) from attached chart. Part numbers are shown below.

- A = No link lead required
- B = XR8 26721 C = XR8 26722
- D = XR8 20722
- E = XR8 22802
- L = XR0 22002
- F = XR8 26726
- G = XR8 26727
- H = XR8 34689
- J = XR8 34690

Note: CD A/Changer refer to a six-disc auto-changer <u>NOT</u> to the AM/ FM single CD in-dash player.

S-TYPE TELEMATICS LINK LEADS

X X X X X X

D+G

G D

G D

G D+G

er	CD	A/C	HA	NGER	X		X		X		X	X		X		X		X	X		X		X		X	X		X		X	
cation retrofi	PHO	ON	E			X	X			X	X		X	X			X	X		X	X			X	X		X	X			X
	VO	ICE						X	X	X	X				X	X	X	X				X	X	X	X				X	X	X
	NA	VIG	ATI	ON								X	X	X	X	X	X	X								X	X	X	X	X	X
				UND										-				-	X	X	X	X	X	X	X	X	X	X	X	X	X
	<u> </u>	_																													
	CD A/CHANGER	PHONE	VOICE	NAVIGATION PREM SOUND																											
Vehicle specification prior to retrofit:					A	A		Н	B+H	G	B+G																				
	X						B+H		B+H		B+G																				
		X					B+H			G	B+G																				
	X	X									G																				
			X						В	G	B+G																				
	X		X								G																				
		X									В									<u> </u>											
			-	x								C+J	G	C+H	G	C+H	F	C+G													
	X			X								01)	0	Н	0	Н	•	G													
		X		X										C+H			F	C													
	Y	X		X										CIII			1	G													
		^	Y	<u>×</u>												C+H	F	C													
cati	v			<u>×</u>												CTH	1														
cifi	X	X		<u>^</u> X														G													
be		^	^															C+G	F . 1	0	F . 11	0	F . 11		ELC.						
le				X															E+J	G	E+H	G	E+H	F	E+G						
hic	X			X			_														Н		Н		G						
Ve		X		X																	E+H			F	E						
	X	X		X	_																				G						
			X	X																			E+H	F	E						
	X		X	X																					G						
		X	X	X																					E+G						
				XX																						D+J	G	D+H	G	D+H	F
	X			XX																								Н		Н	
		X		XX																								D+H			F
	X	X		XX																											
	-	ŀ	X	XX																										D+H	F
	X	\square		XX																											
	ŀ			XX																											1
		•	•																												

Vehicle specification after retrofit: