0-60 mph

Maximum speed
Coefficient of Drag (Cd)



USA SPECIFICATIONS FOR XJ8 AND XJR

6.3 sec.

121 mph, electronically limited.

ENCINE	XJ8	XJR	
ENGINE Type	90° V8, aluminum alloy cylinder	90° V8, aluminum alloy cylinder	
1,500	head/block, DOHC, 4 valves per cylinder	head/block, DOHC, 4 valves per cylinder	
Bore	3.39 in.	3.39 in.	
Stroke	3.56 in.	3.56 in.	
Displacement	4.2 liter	4.2 liter	
Compression Ratio	11.0:1	9.0:1	
Crankshaft	SG cast iron, 5 main bearings	SG cast iron, 5 main bearings	
Connecting Rods	Sinter forged, fracture split	Sinter forged, fracture split	
Pistons	Cast aluminum, 3 piece oil control	Cast aluminum, 2 piece oil control	
	rings, steel cylinder liners.	rings, steel cylinder liners.	
Lubrication	Eccentric rotor pump, 68 PSI (4.7 bar)	Eccentric rotor pump, 68 PSI (4.7 bar)	
	regulated pressure, jet lubrication	regulated pressure, jet lubrication of drive	
	of drive chains.	chains, oil cooler, jet cooling of pistons.	
nduction	Normally aspirated, 3 vane type	Supercharged, Eaton Roots type with	
	continuously variable cam phasing	rotors driven by helical gears, twin	
	over 48° range.	air-liquid intercoolers, 13 psi (.9 bar)	
		maximum boost, fixed cam phasing,	
		solenoid operated dual inlet air box.	
Camshaft Drive	Inverted tooth chain drive	Inverted tooth chain drive	
Valve Actuation	Direct acting mechanical, bucket tappets	Direct acting mechanical, bucket tappets	
Engine Management	Denso 32 bit	Denso 32 bit	
Engine Control	Electronic throttle	Electronic throttle	
gnition	Electronic	Electronic	
Fuel Delivery	Electronic returnless system,	Electronic returnless system,	
	single electric fuel pump.	twin electric fuel pumps.	
Fuel Injection	Electronic multiport, Denso 12 hole	Electronic multiport, Denso 12 hole	
	fuel injectors.	fuel injectors.	
Exhaust	Branched tuned manifolds.	Log type manifolds.	
Emissions Control	3-way catalysts, exhaust gas recirculation.	3-way catalysts, exhaust gas recirculation.	
Horsepower (SAE)	294 @ 6,000 rpm	390 @ 6,100 rpm	
Maximum Torque	303 @ 4,100 rpm	399 @ 3,500 rpm	

57"
61.3" 60.9" 73.2"
58.3" 58.3"
38.4" 38.6"
119.4"

Dimensions shown in inches.

www.media.jaguar.com 5.01

155 mph, electronically limited.

5.0 sec.



	XJ8	XJR
RIVETRAIN		
Configuration	Front engine, rear drive	Front engine, rear drive
ransmission	6-speed automatic, ZF6HP26	6-speed automatic, ZF6HP26
ransmission Control	Bosch Mechatronic	Bosch Mechatronic
orque Converter	260mm, lockup available on all forward gears.	280 mm, lockup available on all forward gears.
ear Ratios	1st - 4.17:1	1st - 4.17:1
	2nd - 2.34:1	2nd - 2.34:1
	3rd - 1.52:1	3rd - 1.52:1
	4th - 1.14:1	4th - 1.14:1
	5th - 0.87:1	5th - 0.87:1
	6th - 0.69:1	6th - 0.69:1
	Reverse - 3.40:1	Reverse - 3.40:1
inal drive	2.87:1	2.87:1
SUSPENSION		
Front	Independent forged aluminum double wishbone design with 29mm anti-roll bar.	Independent forged aluminum double wishbone design with 31mm anti-roll bar
	Self-levelling air springs.	Self-levelling air springs.
	Touring tuned enhanced Computer Active Technology	R-Performance tuned enhanced Computer Active
	(CATS) damping, independent front/rear two stage damping.	Technology (CATS) damping, independent front/rear two stage damping.
Rear	Independent aluminum double wishbone design with 16mm anti-roll bar.	Independent aluminum double wishbone design with 17mm anti-roll bar.
	Self-levelling air springs.	Self-levelling air springs.
	Touring tuned enhanced Computer Active Technology (CATS) damping,	R-Performance tuned enhanced Computer Active Technology (CATS) damping,
	independent front/rear two stage damping.	independent front/rear two stage damping.
	Dynamic Stability Control	Dynamic Stability Control
BRAKES		
System	Teves Mk25 electronically controlled 4-channel anti-lock brake system	Teves Mk25 electronically controlled 4-channel anti-lock brake system
yo.c	with yaw control.	with yaw control.
	Active brake booster.	Active brake booster.
	Independent front/rear diagonal split hydraulic circuits incorporating fluid loss	Independent front/rear diagonal split hydraulic circuits incorporating fluid loss
	warning sensor.	warning sensor.
	Electronic parking brake.	Electronic parking brake.
ront	Ventilated discs, 12.6" x 1.18", floating aluminum calipers.	Brembo ventilated R-Performance discs, 14.4" x 1.26", fixed aluminum four
TOTAL	ventuated discs, 12.0 × 1.10 , floating didifficult campers.	piston calipers.
'ear	Ventilated discs, 11.3" x .79", floating aluminum calipers.	Brembo solid R-Performance discs, 13" x .59", fixed aluminum four
.cui	ventulated aloco, 11.0 × .17 , mouting aranimal campers.	piston calipers.
Hoses	Steel braided	Steel braided
10262	Steel bi alueu	Steel bi alded



	XJ8	XJR
WHEELS		
Size and Style	17 x 7.5-inch light forged alloy, Elegant	19 x 8.5-inch alloy, Performance
Spare	Matching full sized alloy	Matching full sized alloy
Tires	235/55 R17	255/40 R19
STEERING		
Type	Power-assisted, speed-sensitive, variable-ratio rack and pinion.	Power-assisted, speed-sensitive, variable-ratio rack and pinion.
Column Adjustment Turning circle (curb to curb)	2" reach, 5.0" rake. 38 ft. 5 in.	2" reach, 5.0" rake. 38 ft. 5 in.
BODY CONSTRUCTION		
Туре	Aluminum monocoque, rivet bonded, magnesium cross car beam,	Aluminum monocoque, rivet bonded, magnesium cross car beam,
	steel suspension subframes.	steel suspension subframes.
Door opening angles	62° Front, 65° Rear	62° Front, 65° Rear
Trunk opening angle	86*, power latching	86*, power latching
ELECTRICAL SYSTEMS		
Туре	Standard Corporate Protocol (SCP), Controller Area Network (CAN) and	Standard Corporate Protocol (SCP), Controller Area Network (CAN) and
	D2B Network for specific modules.	D2B Network for specific modules.
Generator	Denso SC1 with intelligent charging and load management strategies,	Denso SC1 with intelligent charging and load management strategies,
	130 amp output.	130 amp output.
Battery	90 amp hour, Silver Calcium	90 amp hour, Silver Calcium
EXTERIOR DIMENSIONS		
Length	200.4 in.	200.4 in.
Height	57.0 in.	57.0 in.
Width	73.2 in. (without mirrors)	73.2 in. (without mirrors)
	83.0 in. (including mirrors)	83.0 in. (including mirrors)
Track	Front: 61.3 in. / Rear: 60.9 in.	Front: 61.3 in. / Rear: 60.9 in.
Ground Clearance	5.1 in.	5.1 in.
Wheelbase (in.)	119.4 in.	119.4 in.
Curb weight	3806 lb.	3948 lb.
Permitted roof load	165 lb.	165 lb.
INTERIOR DIMENSIONS		
Headroom	Front: 38.4 in. / Rear: 38.6 in.	Front: 38.4 in. / Rear: 38.6 in.
Shoulder room	Front: 58.3 in. / Rear: 58.3 in.	Front: 58.3 in. / Rear: 58.3 in.
Leg Room	Front: 43.1 in. / Rear: 38.7 in.	Front: 43.1 in. / Rear: 38.7 in.
CAPACITIES	4// 54	1// fb
Trunk	16.6 cu.ft.	16.6 cu.ft.
Fuel	22.5 gal.	22.3 gal.



STANDARD AND OPTIONAL FEATURES

TRANSMISSION/SUSPENSION/PRAVES		XJ8	XJR
TRANSMISSION/SUSPENSION/BRAKES Air suspension	standard tune	S	N/A
711 Suspension	R Performance tune	N/A	S
	CATS (Computer Active Technology Suspension)	S	S
Brakes	Electronic Park Brake	S	S
5. divos	disc front and rear, vented	S	N/A
	Brembo, four-piston with silver painted callipers and Jaguar R logo	N/A	S
Drivetrain control	Dynamic Stability Control	S	S
Dividit din control	traction control	S	S
Transmission	6-speed electronic automatic	S	S
EXTERIOR FEATURES			
Chrome exterior pack	chrome window surrounds, trunk plinth, front grille surround and black grille vanes	S	N/A
Chrome exterior pack	chrome window surrounds, trunk plinth, front grille surround and chrome grille vanes (1)	0	N/A
Chrome exterior pack	chrome window surrounds, body colored trunk plinth, and front grille surround	N/A	S
'	bright mesh grille insert		
Exterior mirrors with ground illumination	power-adjustable, heated, electrochromic	S	N/A
· ·	power fold back, heated, electrochromic (2)	0	S
Front fog lights		S	S
Headlights	automatic headlights	S	S
	halogen headlights	S	N/A
	headlight powerwash	0	0
	Xenon headlights (2)	0	S
Heated rear window with timer		S	S
Metallic paint		NCO	NCO
Park distance control	front	0	0
	rear	S	S
Rain-sensing windshield wipers		S	S
Moonroof	glass, electric tilt and slide with one-touch open/close	S	S
Wheels	light forged alloy 7.5" x 17" Elegant	S	N/A
	cast alloy 8" x 18" Dynamic (2)	0	N/A
	cast alloy 8" x 18" Luxury	А	А
	cast alloy 8.5" x 19" Performance	N/A	S
	2-piece BBS cast alloy 9" x 20" Sepang	N/A	0
	full size spare	S	S



		XJ8	XJR
NTERIOR THEME, TRIM AND SEATING			
Classic interior theme	color keyed upper fascia, steering wheel, door top rolls and carpets, burr walnut		
	veneer fascia and door trims	S	S
R interior theme	Warm Charcoal upper fascia and door top rolls, flint carpets, grey stained birds		
	eye maple veneer fascia and door trims with R seats. (5)	N/A	0
Seats and trim	classic leather	S	N/A
	sport leather, perforated center pads	N/A	S
	R leather, interlock center pads (5)	N/A	0
	classic soft grain leather, ruched (1)	0	N/A
	lvory leather (1)	0	N/A
Seats, front	electrically-adjustable, driver and front passenger	S	S
	variable heated cushion and backrest (3)	0	S
Seats, rear	head restraints x 2	S	S
	variable heated cushion and backrest (3)	0	S
	electric heated bench seat with individual power seat back adjustment,		
	head restraints, lumbar support and front adjustment from rear (10)	0	0
Classic seats, leather	12-way driver and passenger with driver memory	S	N/A
	rear bench, fixed	S	N/A
Classic seats, soft grain leather, ruched	16-way driver and passenger with driver memory (1)	0	N/A
	rear electric bench	0	N/A
R seats, leather	16-way driver and passenger with driver memory	N/A	S
	rear bench, fixed	N/A	S
Steering wheels	wood/leather	S	S
-	full burr walnut wood, heated	A	А
	wood/leather, heated (4)	0	S
Gearknobs	wooden	S	N/A
	R leather with chrome sides (Warm Charcoal only)	N/A	S



		XJ8	XJR
NTERIOR FEATURES			
Air conditioning	automatic climate control	S	S
	4-zone temperature control (6)	0	0
	climate control particle/odor filter	S	S
Analogue clock		S	S
Cruise control	adaptive cruise control	N/A	S
	cruise control with steering wheel audio and telephone controls	S	S
Cupholders	front and rear, twin	S	S
Electric windows	front and rear with one-touch open/close	S	S
Floor mats	carpet	S	S
	lambswool rugs (1)	0	N/A
Foot pedals	electrically-adjustable with memory	S	S
Interior mood lighting		S	S
Power-assisted steering	speed-sensitive, variable-ratio	S	S
Power Points	4 (2 with cigar lighter)	S	S
Steering column	electrically-adjustable with memory and entry/exit function	S	S
Sunblind	side rear window, manual (6)	0	0
	rear window, electric (7)	0	S
Sunvisors	illuminated with vanity mirror, driver and passenger	S	S
Trip Computer	with twin function	S	S
AUDIO/COMMUNICATIONS			
Audio equipment	Jaguar sound system with single slot CD/radio, 8 speakers, EON, RDS, PTY, TA and AVC	S	N/A
	Alpine Premium sound system with 12 speakers, 320 watt output, DSP, power amplifier,		
	subwoofers, single slot CD, fascia speakers (2)	0	S
	CD autochanger (6-disc capacity) (8)	0	S
	Cassette/radio (in lieu of single slot CD/radio)	A	A
aguarVoice	front, voice control of audio, automatic climate control and, if fitted, telephone,		
-	navigation and TV with teletext (9)	Α	А
Vavigation	7 inch touch screen, DVD-based	0	0
Multimedia system	rear switchpack, dual 6.5 inch screens, DVD compatible	0	0
Telephone system	Motorola v60 (9)	A	A



		XJ8	XJR
SAFETY			
Adaptive Restraint Technology System (A.R	.T.S.)	S	S
Airbags	front, driver and passenger	S	S
	front side, seat mounted, driver and passenger	S	S
	side curtain	S	S
Anti-lock braking system	<u> </u>	S	S
Emergency brake assist		S	S
Energy absorbent seating system		S	S
First aid kit		А	А
High-level stop light		S	S
Rear view mirrors	electrochromic, with compass	S	S
Seat belts	pre-tensioners, front and rear	S	S
	belt minder	S	S
	rear child seat Isofix compatible	S	S
Warning triangle		A	А
SECURITY			
Security	security system with remote central locking - 2-stage unlock,		•
	drive away locking, engine immobilizer	S	S

S = Standard O = Optional at extra cost NCO = Optional at no extra cost N/A = Not available A = Accessory

All information correct at the time of going to press, Dec. 2002.

- (1) Included only within the optional XJ8 Premium Luxury Package
- (2) Optional on XJ8. Included within the XJ8 Premium Luxury Package
- (3) Optional on XJ8 as part of the Heated Seats Package. Included within the XJ8 Premium Luxury Package
- (4) Optional on XJ8, requires Heated Seat Package or Premium Luxury Package
- (5) Included only with the available XJR contrast color interior trims
- (6) Included only within the optional Warm Climate Package
- (7) Included within the optional XJ8 Warm Climate Package and XJ8 Premium Luxury Package
- (8) XJ8 is pre-wired for accessory installation. Included within the optional XJ8 Alpine audio package and XJ8 Premium Luxury Package
- (9) All car's are pre-wired for accessory installation
- (10) Requires the optional Multimedia Package

Jaquar Cars North America, January 2003. All material correct at time of going to

press. For further Jaguar press information please contact:

James Thomas

Communications Manager

Jaquar Cars North America

1 Premier Place, Irvine, CA 92618

Phone: (949) 341-6140 • Email: jthoma98@jaguar.com