



AUX-JAG97

Quick Auxiliary Installation Guide for
Pre-1998 Jaguar **CD Changer Controlling Radios**

Created February 6, 2017

Revised: April 10, 2018

Introduction:

The AUX-JAG97 provides an audio input jack for users to connect and play portable audio device including Smartphone, MP3, iPods, Tablet etc. This adapter connects directly to the CD Changer port at the radio or pre-wired cable in trunk/hatch and replaces Changer (if present). See **Frequently Asked question** at the end of this guide for more details.

Installation: (connects to Radio or Trunk)

Alert! The AUX-JAG97 connects to radio or trunk (if prewired) and replaces CD Changer (if present)

1. To remove , copy and paste link below to your browser:

<https://www.youtube.com/watch?v=vpAldr6V3iE>

2. Locate CD Changer port on radio (if prewired , disconnect cable from radio)
3. Connect adapter's 8-pin plug to CD Changer port on radio. (See **Fig. 1**)




Fig. 1

Factory Radio

4. Connect one end of supplied 3.5mm audio cable (See **Fig.2**) to input jack on adapter (See **Fig. 3**) and route other end to dash or wherever audio device will reside (within 3 ft.)



Fig. 2

3 ft. Aux cable



Fig. 3

3.5mm jack

5. Re-assemble dashboard
6. To connect in luggage compartment/trunk, simply disconnect CD Changer (if present) and connect adapter to pre-wired connector.

Test Operation

1. Turn ON ignition and Radio.
2. Press “CD” button on radio. Track or Disc number will be displayed
3. Launch Smartphone streaming application.
4. Use radio volume control button to set the playback level. If distorted, lower the volume on phone or if inaudible, raise volume on phone or tablet.

Warning! Playlist and Track selection is *NOT* possible from the Radio. Use the smartphone built-in controls to access and control the audio files.

5. If correct operation is confirmed, tuck away any extra wires and re-install Radio.

Frequent asked questions

1. **Does the AUX-JAG97 work in Premium Systems?**
YES; the AUX-JAG97 works in all pre 1998 Jaguar audio systems with CD Changer controlling Stereos. If stereo does not have Changer controls, this device will not work. Please check prior to ordering.
2. **Your AUX-JAG97 and AUX-JAG work in 1997 vehicles, how can I tell the difference?**

Jaguar changed audio system in late 1997 which means vehicles of the same year may have different plugs. We know of two ways to check application:

a. VIN numbers:

XK to VIN# 018107

XJ to VIN #812255 both support the AUX-JAG97

b. 1997-06 Jaguar with Ai-NET plug requires the A2D-JAG (Bluetooth) or AUX-JAGR (auxiliary)

-1998 with M-BUS (8-pin DIN) are compatible with the AUX-JAG97 or A2D-JAG97 or JAG97-HF or JAG97CD-HF. 8-pin Ai-NET connectors are compatible with AUX-JAG and AUX-JAGR, JAGCD-HF etc. (See **Fig. 4**) if in doubt check your application prior to ordering.



Fig. 4

3. **Can I connect the AUX-JAG97 directly to Radio?**
YES; and if vehicle is wired or if there is a Changer in trunk/luggage compartment, it is also possible to connect the adapter there.
4. **My vehicle has a Changer. Can I install the AUX-JAG97 and retain use of the Changer?**
NO. The AUX-JAG97 replaces the Changer
5. **Can I control music from radio buttons?**
NO; you must use audio device built-in controls to access music files.
Radio volume control is used to set playback level.

Disclaimer

- This product has no affiliation with Jaguar
- We're not liable for misuse of this product.
- We recommend professional installation

Call 804-717-5717 or email support@discountcarstereo.com

© 1995-Apr-18 Discount Car Stereo, Inc. All rights reserved. Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.